Mora County Community Health Profile

Introduction

This profile describes the current health status of the county. With this information, the community can complete an assessment and begin to address specific issues and set goals for health improvement.

The data in this report is drawn from standard sources most of which are available from the NM Indicator Based Information System (IBIS) for Public Health operated by the New Mexico Department of Health. Data from the US Census, state birth and death files, Youth Risk and Resiliency Survey, as well as official population estimates are available on this site.

This report provides selected indicators for each county and comparison to the state as a whole. Here we provide only basic indicators. When a county chooses to address an issue or problem, residents and health councils can work with the regional DOH epidemiologists and health promotion team to gather additional data. For example, if a county decides to take on deaths due to motor vehicle crashes, they will want to find out more about the location of crashes, types of vehicles, and involvement of alcohol.

Trends: For many of the indicators, trends are presented. The DOH has been using the Results Based Accountability and Turning the Curve methods for planning and priority setting which are based on trends.

Small Numbers: The population density of many New Mexico counties is quite low. This means that in a single year the number of deaths is small and often quite variable from year to year. The trends in this report (except for counties with large populations) are shown as averages of three years: 2001-2003, 2004-2006, 2007-2009, 2010-2012. Even then, sparsely populated counties will not have enough births or deaths to report or see a trend. For example, Hidalgo county reported only one infant death from 2006-12. Even when events are more common, there may not be enough to break rates down by age, sex, or race/ethnicity.

Rates: Most data included here are shown as rates and/or counts. A count is simply how many events occurred in a given time. A rate is the number of events in the time period divided by the population at risk for the event multiplied by a number like 100, 1000, or 100,000. Rates can be when the multiplier is 100, we have a percentage. For example, a measure of poverty might be the number of households in a county whose income is below the federal poverty line divided by then total number of households multiplied by 100 (392 households in poverty/1824 households =392/1824 * 100 =21.5%).

Rare events, such as deaths for a particular (rare) cause, require multiplying by a larger number to get a whole number. If there were 9 cases of cancer in a population of 4834, 9/4834=.0018622. But when we multiply that by 100,000 we get 186.2 per 100,000 people, an easier number to imagine. Death rates are conventionally reported per 100,000 people in the population, but you will see that Female Breast Cancer is reported per 100,000 women. Births are more common, so they are reported per 1000 people; a fertility rate is even more specific the number of live births per 1000 women of child bearing ages.

Finally, when we compare county death rates, there is an additional issue. The population of a county with a younger population will have a different set of causes of death than an older population. We expect there to be more heart attacks and falls in a county with a large proportion of the population over 60 and more bicycle crashes where the population is under 20. In order to make the counties comparable, we calculate the rates as if they occurred in a standard population. You do not have to know how this is done, just that when you see "Age Adjusted Rates" it means that the rate has been calculated to allow valid comparison across different populations. One more detail: if we compare specific age groups in different counties, no adjustment is required because we are looking at the same age-defined segment of the population in each county.

Purpose of this Profile

This profile is provided to assist county councils and other organizations as well as citizens and policy makers to assess the health of their county population. This information is presented as simply as possible so that people who are not health professionals can see a difference between their community and the state as a whole and begin the process of planning for better health.

Organization of this report

Basic demographic and economic information is provided in *Quick Facts*. Population by age and sex is shown as a table and population pyramid graphic. The NM Dept. of Health commissioned an analysis of the undercount of Hispanics and minorities by UNM Bureau of Business and Economic Research (BBER). The result was a new set of population estimates that have been integrated with the IBIS data bases

Health is related in complex ways to education, so we report on graduation rates in *Education* by gender, race/ethnicity and economic disadvantage. Where a county is served by more than one district, graduation rates are given for each district. Graduation data are from the NM Public Education Department web site.

Risk and Resiliency are measures that either predispose a population to poor health or protect them and promote good health. These measures come from two surveys: the Behavioral Risk Factor Surveillance Survey (BRFSS) managed by the Department of Health and the Youth Risk and Resiliency carried out in schools and managed by the UNM Prevention Research Center.

Chronic Disease The leading causes of death from chronic diseases are shown as trends and where population is sufficient by race/ethnicity. Trends for chronic disease are three year averages beginning in 2001 and ending in 2012. In counties with the lowest population, even combining three years, often does not produce stable rates.

Injury Deaths due to leading types of injuries, motor vehicle, suicide, falls and all injuries are shown Deaths due to poisoning are shown. The main component of poisoning is drug overdose deaths.

Births Total births, births by mother's age and ethnicity are included here. Infant mortality is also shown in this section.

A final section summarizes health resources available in the county.

Population

The population of Mora County in 2013 was estimated at 4,704. The population has decreased 3.6 percent since the 2010 census.

The 4.1% of the population is less than 5 years old, 20.8% is over 65 years old

81% percent of the population is of Hispanic origin.


2.9% of the population is foreign-born.

These data are from the Census Quick Facts, http://quickfacts.census.gov/qfd/states/35/35033.html


Population by Age and Sex, 2012


	Male		Female	
Age	Count	Percent	Count	Percent
Total	2470		2352	
0-4 years	122	4.9	120	5.1
5-9 years	148	6.0	133	5.7
10-14 years	166	6.7	135	5.7
15-19 years	153	6.2	138	5.9
20-24 years	116	4.7	94	4.0
25-29 years	110	4.5	127	5.4
30-34 years	106	4.3	96	4.1
35-39 years	130	5.3	128	5.4
40-44 years	139	5.6	152	6.5
45-49 years	185	7.5	163	6.9
50-54 years	188	7.6	181	7.7
55-59 years	217	8.8	216	9.2
60-64 years	205	8.3	207	8.8
65-69 years	159	6.4	130	5.5
70-74 years	132	5.3	129	5.5
75-79 years	80	3.2	106	4.5
80-84 years	68	2.8	58	2.5
85+ years	46	1.9	40	1.7

 $Source\ https://ibis.health.state.nm.us/query/result/pop/PopMain/Count.html$



Source: https://ibis.health.state.nm.us/query/result/pop/PopMain/Count.html





Race/Ethnicity	Mora	Percent	NM	Percent
Total	4822	100.0%	2091432	100.0%
American Indian or Alaska Native	18	0.4%	183169	8.8%
Asian or Pacific Islander	12	0.2%	31101	1.5%
Black or African American	23	0.5%	42825	2.0%
Hispanic	3904	81.0%	969417	46.4%
White	865	17.9%	864919	41.4%

Approximately 51 people live in group quarters. These include jails, prisons, nursing homes, and dormitories.

Single Parent Households

Single Parent Households, Mora County 2008-12

Total Households	1,700	
Single Male Householder	86	5.1%
Single Female Householder	96	5.6%
Number of grandparents responsible for children under 18 years old	24	

Housing

In 2012, there were 3,230 housing units in Mora County; .8% were multi-unit structures; 87.8% of housing units were owner-occupied. The median value of an owner-occupied home in 2008-12 was \$100,400. There are an average of 2.81 persons per household.

Households paying excessive (>30% income) in rent/house payments)

Families that pay more than about one third of their income for housing may be limiting expenditures on other budget items such as food or medicine. Those paying excessive rent may also be at risk for losing their home. A high percentage of people paying excessive rent may also indicate lack of affordable housing. Two measures from the Census address this: Selected Monthly Owner Costs as Percentage of Household Income (SMOCAPI) and Gross Rent as a Percentage of Household Income (GRAPI).

In Mora County, 16% of owners with a mortgage paid 30% or more of their income for housing while 50% of renters had excessive housing costs.

Source American Community Survey, 2008-12. Table ACS 12 5Yr DP04

Homelessness


According to the 2013 NM Point in Time Survey, In Mora County there were no people experiencing homelessness found.

Source NM Coalition to End Homelessness. 2013. Point in Time Count Results. http://nmceh.org/pages/homelessnessReports.html

Income and Poverty


Average per capita money income (2008-12) was \$22,561 and median household income was \$40,000. According to the Census Bureau in 2012, about one sixth of the population lived below the poverty line. The unemployment rate (2012) was 13%. This is the proportion of the work force that is unemployed and looking for work. The Federal Poverty Level varies by family size; for a family of four the rate was \$23,050 in 2012.

Sources: Income: These data are from the Census Quick Facts, http://quickfacts.census.gov/qfd/states/35/35033.html Unemployment: http://www.bls.gov/lau/data.htm



Source: 2008-12 American Community Survey, 5 year Estimates table S1701

See the following site for information on federal poverty level: http://aspe.hhs.gov/poverty/12poverty.shtml



Education and Language

Education and Language	Mora	New Mexico
Language other than English spoken at home	57.8%	36%
High School Graduate or Higher	88.2%	83.4%
Bachelor's degree or higher	13.2%	25.6%

These data are from the Census Quick Facts, http://quickfacts.census.gov/qfd/states/35/35033.html

Mora County School Enrollment


SCHOOL ENROLLMENT	Estimate	Percent
Population 3 years and over enrolled in school	1,436	
Nursery school, preschool	146	10.2%
Kindergarten	72	5.0%
Elementary school (grades 1-8)	353	24.6%
High school (grades 9-12)	203	14.1%
College or graduate school	662	46.1%

Mora County Educational Attainment

EDUCATIONAL ATTAINMENT	Number	Percent
Population 25 years and over	3,547	
Less than 9th grade	253	7.1%
9th to 12th grade, no diploma	164	4.6%
High school graduate (includes equivalency)	1,521	42.9%
Some college, no degree	788	22.2%
Associate's degree	354	10.0%
Bachelor's degree	133	3.7%
Graduate or professional degree	334	9.4%

Source: American Community Survey, 2008-12, Selected Social Indicators, DP02, 5 year estimate

Four Year Graduation Rate, by District, Mora County 2013



NM Public Education Department http://ped.state.nm.us/Graduation/index.html

	Mora	Wagon
All Students	89.5	74.80
Female	86.6	
Male	92.0	
Hispanic	89.5	74.80
Economically Disadvantaged	90.4	74.80
English Language Learners		74.80

Child Abuse

Child Abuse Investigations, July 2012-June 2013

Clina / loade in testigations, vary 2012 varie 2015							
			Number of	Child Victim Rate per			
	Accepted	%	substantiated child	1000			
County	Reports	substantiated	victims	children			
Mora	13	0%	0	0			
NM	18197	25%	7788	13.4			

Source: 360 Yearly State Fiscal Year 2013, NM Children Youth and Families Department.

http://cyfd.org/docs/360ANNUAL FY13 1210.pdf

Risk and Resiliency


Risk and Resiliency is measured by a two surveys, the Behavior Risk Factor Surveillance Survey conducted by the NM Department of Health and the Youth Risk and Resiliency Survey conducted by school districts. The YRRS measures are self-reported by the student.


Adolescent Indicators


Measure	Mora	NM
Adolescent Risk and Resiliency Measures		
Ate Five or More Servings of Fruit or Vegetables per Day	23%	23.8%
Adolescent Obesity, self-reported BMI above 95th percentile for age and sex	13.5%	12.9%
Youth Smoking Prevalence, percentage of students who smoked cigarettes on or more days in the past month	30.1%	19.9%
Youth with Feeling of Sadness or Hopelessness	28.4%	30.8%
Trusted adult in community	57.2%	55.2%

Youth Risk and Resiliency Survey (YRRS) 2007, 2009, 2011 surveys grades 9-12

https://ibis.health.state.nm.us/query/selection/yrrs/YRRSSelection.html







Youth Risk and Resiliency Indicators

						Avg. 2007-
Mora County	2003	2005	2007	2009	2011	11
Persistent sadness or hopelessness	22.6	21.1	33.1	22.9	29.2	28.4
Attempted suicide	6	12.1	15.5	6.2	17.6	13.1
Binge Drinking	53.9	31.2	34.8	26.3	30.9	30.7
Current Marijuana user	41.8	30.2	37.1	39.6	37.1	37.9
Current use of painkillers to get high			10.1	18.1	18.4	15.5
Ever used illegal injection drugs	6.9	4.6	2.4	3.2	10.4	5.3
Smoker	48.7	29.7	35	26.9	28.4	30.1
Sexually active	47.7	17.9	34	21.4	32.8	29.4
used condom	48.9	65.6	61	60.1	71.7	64.3
Adult in common whom I trust	56.4	65.6	57.1	72.1	42.5	57.2
Five servings of fruit/vegetable per day,						
past week	9.1	12.5	15.4	26.1	27.5	23.0
Overweight or Obese	24.4	24.1	24.1	29.6	32.4	28.7
Obese	9.3		16.3	12.4	11.8	13.5

Adult Risk Indicators

Obesity and Smoking constitute risk factors for many chronic diseases and early death.

Physical Activity and a diet with many fruits and vegetables are protective. These data are self-reported via the Behavioral Risk Factor Surveillance System (BRFSS).

Measure	Mora Co	NM
General Self-Reported Health Status, percentage of adults reporting fair or poor		
health	15.5%	17.5%
Adult Physical Activity, 2005,2007, 2009	45.7%	52.5%
Adults Consuming 5 or more servings of fruits		
and vegetable per day, 2007, 2009	24.4%	22.4%
Obesity Among Adults bmi >30, 2011, 2012	38%	26%
Adult Smoking Prevalence current smoker,		
2011, 2012	23.8%	21.0%

Smoking varies by race, ethnicity and other demographic factors. Smoking prevalence tends to be higher among the poor, mentally ill, and LGBT populations. For example in NM, among households with income less than \$15,000, 34% smoke; with income of \$50,000 or more, the rate is 12%, almost a threefold difference. In 2011, 48% of adults who characterized themselves as bisexual smoked.

Mortality


Leading Causes of Death

Age adjusted rates per 100,000 people

Causes	Mora	NM
Total	646.3	616.3
Circulatory, Heart disease (ICD10: I00-I09, I11, I13, I20-I51)	161	150
Neoplasm, malignant (ICD10: C00-C97)	130.8	147.9
Injury, Unintentional injuries (ICD10: V01-X59, Y85-Y86)	102.2	62.4
Diabetes mellitus (ICD10: E10-E14)	47.4	27.8
Circulatory, Cerebrovascular diseases (ICD10: I60-I69)	37.3	34.2
Injury, Intentional self-harm (suicide) (ICD10: X60-X84, Y87.0, *U03)	35.2	19.9
Respiratory, Chronic lower respiratory diseases (ICD10: J40-J47)	21.9	45.9
Septicemia (ICD10: A40-A41)	15.5	8.8
Chronic liver disease and cirrhosis (ICD10: K70, K73-K74)	13.2	18.1
Certain conditions originating in the perinatal period (ICD10: P00-P96)	11.4	3.4

Green Indicates the county rate is better, lower, than the New Mexico rate. Leading causes of death for Mora County are shown here compared to New Mexico.

Life Expectancy




The number of years a person is expected to live after age 65 varies from 24.5 to 18.4

Chronic Diseases


Chronic diseases are conditions that develop slowly, often inconspicuously, and even with treatment affect a person throughout his or her lifetime. Chronic diseases are often the result of lifestyle choices (such as smoking), exposure to environmental pollution or toxins, and genetics (some cancers). Increasingly, overeating and resulting obesity have been cited as causes of many chronic diseases, including diabetes, heart disease, stroke, and some cancers. Chronic diseases do not have a single cause. The effects of multiple factors are often cumulative, that is, they combine over time to increase a person's risk.

The death rates shown below are adjusted to make the county and state populations comparable (in terms of ages). The rates are the number of deaths per 100,000 thousand people susceptible to the disease. Because of the small numbers, these rates are very unstable.




Heart Disease

	2001-3	2004-6	2007-9	2010-12
Mora: Rate	159.4	123.9	204.7	148.6
Mora: Deaths	28	23	40	30
NM: Rate	182.7	173.6	156.5	148.2




Lower Respiratory (COPD)

	2001-3	2004-6	2007-9	2010-12	
Mora: Rate	32.2	31.5	18.4	27.8	
Mora: Deaths	6	6	4	6	
NM: Rate	49.8	44.6	46.5	45.1	




Influenza-Pneumonia

	2001-3	2004-6	2007-9	2010-12
Mora: Rate	5.9	27.7	6	6.2
Mora: Deaths	1	5	1	1
NM: Rate	20.7	18	17.1	14.3




Lung Cancer

8				
	2001-3	2004-6	2007-9	2010-12
Mora: Rate	25.4	32.2	31.4	10.9
Mora: Deaths	5	7	7	3
NM: Rate	38.5	35.3	34.8	31.8



Diabetes Mellitus


	2001-3	2004-6	2007-9	2010-12
Mora: Rate	36.7	42.5	50.3	51.8
Mora: Deaths	7	8	10	9
NM: Rate	32.9	31.2	28.9	27.9



Cerebrovascular Diseases


	2001-3	2004-6	2007-9	2010-12
Mora: Rate	47.3	20.2	42.8	43.9
Mora: Deaths	9	4	9	8
NM: Rate	42.8	33.3	34.5	33.5

Cerebrovascular disease is commonly called "stroke". This is one of many diseases whose risk rises with smoking.




Cancer All Sites

	2001-3	2004-6	2007-9	2010-12
Mora: Rate	122.4	142.9	125.6	127.4
Mora: Deaths	23	29	26	28
NM: Rate	165.3	158.1	152.2	146.3




Breast Cancer

	2001-3	2004-6	2007-9	2010-12
Mora: Rate	4.6	0	4.3	4.1
Mora: Deaths	1	0	1	1
NM: Rate	11.3	12.2	11	11




Neoplasm Colon

	2001-3	2004-6	2007-9	2010-12
Mora: Rate	26.3	8.2	28.1	7.5
Mora: Deaths	5	2	5	2
NM: Rate	16.8	15.9	15.4	14.2




Alzheimer's Disease

	2001-3	2004-6	2007-9	2010-12
Mora: Rate	11.6	23.9	6	6
Mora: Deaths	2	4	1	1
NM: Rate	20.2	19.2	18	17.9




Liver Disease

	2001-3	2004-6	2007-9	2010-12
Mora: Rate	32.3	18.2	19.1	7.5
Mora: Deaths	5	3	3	2
NM: Rate	16.6	14.8	17.7	18.7




This chart includes chronic conditions directly and 100% attributable to consumption of alcohol. Included in this definition from the CDC's Alcohol-Related Disease Impact (ARDI) program (http://apps.nccd.cdc.gov/DACH_ARDI/Info/ICDCodes.aspx): (alcohol) psychosis, abuse, dependence syndrome, myopathy, cardiomyopathy; alcoholic gastritis and liver disease; fetal alcohol syndrome, fetus and newborn affected by maternal use of alcohol, and alcoholic induced chronic pancreatitis. Conditions in which alcohol contributes, either directly or indirectly, to mortality are not included in this measure.

Unintentional Injuries




Unintentional Injury

	2001-3	2004-6	2007-9	2010-12
Mora: Rate	65.6	102.4	41.4	147.6
Mora: Deaths	10	14	8	19
NM: Rate	57.3	63.1	63.9	61.9



Motor Vehicle Traffic Death Rates


	2001-3	2004-6	2007-9	2010-12
Mora: Rate	42.3	65.3	8.3	55.4
Mora: Deaths	6	8	1	7
NM: Rate	21.5	23.2	17.3	16



Unintentional Falls

	2001-3	2004-6	2007-9	2010-12
Mora: Rate	0	4.4	10.3	0
Mora: Deaths	0	1	2	0
NM: Rate	12.1	14.2	16.4	13.5

Deaths from falls include primarily elderly people. The average age at death from falls is about 72 years.




Suicide

	2001-3	2004-6	2007-9	2010-12
Mora: Rate	58.1	13.5	25.8	37.3
Mora: Deaths	8	2	5	5
NM: Rate	19.3	18.1	19.6	20.4

Deaths Due to Drug Overdose

In 2008-12 there were 2,401 deaths due to drug overdose in NM, 11 in Mora County




The Mora County drug-induced death rate is above the state average. See https://ibis.health.state.nm.us/indicator/complete_profile/DrugIndDth.html

The main codes for drug overdose are X40-X44, X60-64, X85.


Births


Number of Births 2008-12



Number and Percentage of Births by Mother's Age


2008-2012		Mora			NM	
	Births	Population	Rate	Births	Population	Rate
10 to 14				255	711,772	0.4
15 to 17	9	924	9.7	6,468	449,182	14.4
18 to 19	22	608	36.2	13,055	299,422	43.6
20 to 24	61	1,070	57	41,787	705,404	59.2
25 to 29	73	1,214	60.1	38,894	693,507	56.1
30 to 34	30	1,042	28.8	25,707	639,176	40.2
35 to 39	18	1,324	13.6	11,816	624,147	18.9
40 to 44	3	1,519	2	2,845	629,765	4.5
45 to 49	1	1,793	0.6	188	715,236	0.3
50+				22	3384155	0
Total Births	217			141,037		
Percent to 15-19 yr. olds	14.3%	Rate	20.23	13.8%	Rate	26.08





2008-12	Mora				NM		
				Pop 5yr			
	Births	Population	Birth Rate	avg	Births	Population	Birth Rate
American							
Indian or							
Alaska Native	1	97	10.3	19.4	17517	906013	19.3
Asian or							
Pacific							
Islander	2	60	33.2	12	2656	151115	17.6
Black or							
African							
American				0	2405	209489	11.5
Hispanic	185	19794	9.3	3958.8	77018	4755227	16.2
White	29	4,361	6.6	872.2	40634	4267697	9.5
Total	217	24394	8.9	4878.8	141060	10289540	13.7

Infant Mortality Rate




Infant Mortality Trend 2008-12

	Total	2008	2009	2010	2011	2012
Mora Infant Death	2		1		1	
Mora Live Births	217		36		44	
Mora Death Rate	9.2		27.8		22.7	
		2008	2009	2010	2011	2012
NM Infant Deaths	782	153	145	155	143	186
NM Live Births	141060	30154	28872	27793	27251	26990
NM Death Rate	5.5	5.1	5	5.6	5.2	6.9


In Mora County, 2008-2012, there were 2 infant deaths for 217 births, a rate of 9.2 per 1000 live births. This is the higher than the NM rate. Infant mortality, often cited as a general indicator of well-being of a population, has increased in NM since 2010 after decreasing slightly from 2008-2009. The numbers are too small to show a trend line and the rates will be very unstable.

Leading causes of Infant Deaths




	NM			Mora		
			Deaths			Deaths
	Number	Number	Per	Number	Number	Per
	of	of Live	1,000	of	of Live	1,000
General Causes of Infant Death	Deaths	Births	Births	Deaths	Births	Births
Assault and Homicide	23		0.1			
Congenital Malformations	269		1.3			
Medical Conditions	141		0.7			
Other and Undetermined Causes	58		0.3			
Other Injury Causes	19		0.1	1		3.2
Perinatal Conditions	500		2.5	2		6.5
SIDS	74		0.4			
Unintentional and Accidental Injury	53		0.3			
Total	1137	201578	5.6	3	308	9.7

Prenatal Care



Prenatal care in the first three months helps catch problems early and affords opportunity for education of mothers. It also indicates access to health care services since prenatal care is available through Medicaid.

In the above chart, Harding and De Baca Counties had 5 and 12 births respectively, so their percentages may not be stable.




In this chart higher is better.

Doctors recommend that mothers-to-be see their health care provider before the 13th week of pregnancy and to go back for at least 13 visits before birth.

The Kotelchukc Index combines when prenatal care began and the number of visits. Adequate indicates the mother received at least 80% of the indicated number of visits for when her prenatal care began.

Access to SNAP and Health Insurance

Households Receiving SNAP/Food				
Stamp Benefit				
Mora County NM				
Number Percent		Number	Percent	
276	16.2%	97,304	12.7%	



Source: American Community Survey, 2008-12, Table DP03

Health Resources

Health Resources, 2011

	Mora	NM
Population 2011	4773	
Primary Care Physicians	0	1535
PCP per 100.000 people		73.7
Pediatricians	0	291
Pediatricians per 100,000		50.3
people under age 20		
Obstetrician/Gynecologists	0	181
OB/GYM per 100,000 women		17.2
Psychiatrists	0	197
Psychiatrists per 100,000 people		9.5
Dentists	0	974
Dentists per 100,000 people	61.5	47.3
Short Term General Hospitals	2	41
STGH Beds		4,130
Federally Qualified Health Centers	0	100
Community Health Centers	0	152
School Based Health Centers	7	74
-		
Medicare Beneficiaries	1211	326,559
Percent of Population	25.4	15.7
Medicaid Beneficiaries	1165	561,762
Percent of population	24.4	27

Area Health Resource File, HRSA. http://arf.hrsa.gov/arfdashboard/HRCT.aspx

New Mexico Ranks 50th in Child Well-Being 2013 NM KIDS COUNT Profile Mora County

5	Children in Poverty 2010	Families in which Parents Lack Secure Employment 2010	Families with a High Housing Cost Burden 2010 Rent: 29%	Teens (16-19) Not in School and Not Working 2010
ECONOMIC Well-Being	17% NM Rate: 27%	53% NM Rate: 39%	Own: 18% NM Rate: Rent: 43%	17% NM Rate: 10%
	Tim Flato. 2779	\$20 CASC \$100 CA	Own: 25%	Things Market Colons
	Children Attending Preschool 2010	Fourth Graders Proficient in Reading 2013	Eighth Graders Proficient in Math 2013	High School Students Graduating on Time 2013
EDUOATION .	74%	Mora: 47% Wagon Mound: NA	Mora: 41% Wagon Mound: NA	Mora: 88% Wagon Mound: 47%
EDUCATION	NM Rate: 40%	NM Rate: 46%	NM Rate: 42%	NM Rate: 70%
3	Low Birth Weight Babies 2012	Children without Health Insurance 2011	Child and Teen Deaths per 100,000 2012	Teens who Binge Drink 2011
HEALTH	2.4%	13%	Child (1-14): 0 Teen (15-19): 343	31%
HEALTH.	NM Rate: 7.6%	NM Rate: 10%	NM Rate: Child: 19 Teen: 69	NM Rate: 24%
ř	Children in Single Parent Families 2011	Families where Household Head Lacks a High School Diploma 2011	Children Living in High Poverty Areas 2011	Teen Births per 1,000 2012
FAMILY AND COMMUNITY	22%	5%	0%	22
Johnnorth	NM Rate: 36%	NM Rate: 16%	NM Rate: 21%	NM Rate: 45

Sources:

Children in Poverty: American Community Survey, 2006-2010, Table B17006.

Children whose Parents Lack Secure Employment: American Community Survey, 2006-2010, Table B17016.

Families with a High Housing (Rent) Cost Burden: American Community Survey, 2006-2010, Table B25070.

Families with a High Housing (Ownership) Cost Burden: American Community Survey, 2006-2010, Table B25091.

Teens Not in School and Not Working: American Community Survey, 2007-2011, Table 14005.

Children ages 3 to 4 Attending Preschool: American Community Survey, 2006-2010, Table B14003.

Fourth Graders Proficient in Reading and 8th Graders Proficient in Math: NM Public Education Department. Retrieved from: http://www.ped.state.nm.us/Assessment/Accountability/AcademicGrowth/NMSBA.html.

High School Students Graduating on Time: NM Public Education Department, 2013 4-Year Cohort Graduation Rates at: http://ped.state.nm.us/Graduation/index.html

Low Birth-Weight Babies: NM Department of Health, IBIS Database, Query Results for Percentage of Low Birth Weight Infants at: https://ibis.health.state.nm.us/query/result/birth/BirthWtCnty/BirthWtLow.html

Children without Health Insurance: U.S. Census, Small Area Health Insurance Estimates (SAHIE), 2011.

Child Death Rate per 100,000: NM Department of Health, IBIS Database, Query Results for Crude Rates, Ages 1-14, deaths per 100,000 Measure at: https://ibis.health.state.nm.us/query/result/mort/MortCntyICD10/CrudeRate.html

Teen Death Rate per 100,000: NM Department of Health, IBIS Database, Query Results for Crude Rates, Ages 15-19, deaths per 100,000 Measure at: https://ibis.health.state.nm.us/query/result/mort/MortCntylCD10/CrudeRate.html

Teens Who Binge Drink: NM Youth Risk and Resiliency Survey, 2011, NM Department of Health and NM Public Education

Department at: https://ibis.health.state.nm.us/indicator/view_numbers/BingeDrinkYouth.Cntv.html.

Children in Single Parent Families: American Community Survey, 2006-2010, Table B09002.

Families where Household Head Lacks a High School Diploma: American Community Survey, 2007-2011, Table B17018.

Children Living in High Poverty Areas: 2011 data from the American Community Survey prepared by Population

Reference Bureau for NM KIDS COUNT.

Teen (ages 15-19) Births per 1,000: NM Department of Health, IBIS Database, Query Criteria for the Adolescent Births, Girls Age 15-19 Measure (per 1,000) at:

https://ibis.health.state.nm.us/query/result/birth/AdolBirthCnty/AdolBirth15 19.html